



READ ALL INSTRUCTIONS INSIDE BEFORE USING  
LEA TODAS LAS INSTRUCCIONES ANTES DE USAR

## **Tick & Flea Yard Spray**

*Pulverizador de garrapatas y pulgas*

Kills listed bugs on lawns, trees, shrubs, roses and flowers.  
For use on residential lawns, gardens, patios and home picnic areas.

### **PRODUCT FACTS**

#### **KILLS INSECTS:**

**Lawn pests:** deer ticks, brown dog ticks, fleas, ants, armyworms, chinch bugs, crickets, cutworms, grasshoppers, Japanese beetle grubs, mole crickets and sod webworms.

**Tree, shrub, rose & flower pests:** aphids, bagworms, brown marmorated stink bugs (BMSB), cicadas, exposed thrips, fall cankerworms, inchworms, leafminers, stink bugs, and other listed pests.

**WHERE TO USE:** On lawns, trees and shrubs, roses and flowers.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**SHAKE WELL BEFORE USE. READ ENTIRE LABEL BEFORE EACH USE.**

#### **HOW TO USE:**

##### **Connect**

1. Shake well before using.
2. Connect sprayer to hose.
3. Turn on water.

##### **Spray**

1. To begin spraying, point nozzle in the direction you want to spray.
2. Bend small plastic tab back and turn knob clockwise to ON position.
3. Spray evenly over measured area.

#### **Finish**

1. To stop spraying, turn knob counter-clockwise to OFF position.
2. Turn off water.
3. Relieve water pressure by bending yellow plastic tab back and turning knob to ON position until water slows to a drip. Then, turn knob back to OFF position.
4. Disconnect sprayer from hose.

#### **USE DIRECTIONS:**

Use 32 fl. oz. to treat 1,900 linear feet with a 6-inch spray band.

For use on lawns: 32 fl. oz. treats up to 5,300 sq. ft.

**Use on Lawns:** Kentucky bluegrass, bent, bermuda, bluegrass, dichondra, fescue, Irish moss, merion and St. Augustine.

**Pests:** Deer ticks, brown dog ticks, fleas, ants, armyworms, chinch bugs, crickets, cutworms, grasshoppers, Japanese beetle grubs, mole crickets and sod webworms.

**How to Use:** Thoroughly wet down grass a few hours before applying. Home lawns should not be taller than 3 inches at time of application. Slightly more water may be used as long as the amount of product per area is as listed below. For heavy infestations, repeat application after 2 weeks. For listed insects 32 fl. oz. treats 5,300 sq. ft.

**Use on Trees & Shrubs:** Arizona Cypress, azalea, birch, non-bearing citrus, conifers, elm, English ivy, euonymus, weeping fig, fir, honeysuckle, lilac, mock-orange, oak, palm, philodendron, pine, poinsettia, tulip, poplar, rhododendron, taxus

**Pests:** aphids, bagworms, brown marmorated stink bugs (BMSB), cicadas, exposed thrips, fall cankerworms, inchworms, leafminers, mealybugs, spider mites, whiteflies, fall webworms on cherry and honeysuckle, budworms on conifer, elm leaf beetles, elm spanworms and fall webworms on elms, tussock moths on douglas and grand firs, citrus black flies on non-bearing citrus, oakworms on oaks, stink bugs, pine beetles, pine moths, pine needleminers, and needle scales on pines.

**How to Use:** Apply as a thorough spray, wetting leaves and branches but do not let runoff occur. Try to penetrate dense foliage. Spray in the late afternoon or evening, when the temperature ranges from 50 to 75°F and when there is little or no wind. Spray at the first sign of insects. Repeat as necessary; use intervals of 4-8 days.

**Use on Roses & Flowers:** Ageratum, aster, azalea, begonia, coleus, common ninebark and snowberry, exacum, gladiolus, gold bells, hypoestes, ivy, lilac, marigold, mock-orange, hollyhock, orchid, pansy, pea shrub, petunia, poinsettia, rhododendron, rose, snapdragon, zinnia.

**Pests:** Aphids, bagworms, brown marmorated stink bugs (BMSB), cicadas, exposed thrips, fall cankerworms, fall webworms, inchworms, leafminers, leafrollers, mealybugs, spider mites, stink bugs and whiteflies.

**How to Use:** Apply as a thorough spray, wetting the plants thoroughly, but do not let runoff occur. Try to hit underside of leaves and penetrate dense foliage. Spray in the later afternoon or evening, when the temperature ranges from 50 to 75°F and when there is little or no wind. Spray at

the first sign of insects. To maintain effectiveness; spray as reinfestation occurs but use intervals of 4-8 days.

#### **USE PRECAUTIONS AND RESTRICTIONS:**

**READ ENTIRE LABEL BEFORE EACH USE.**

This product is not registered for use against stink bugs, brown marmorated stink bugs and Asian lady beetles in the state of California.

#### **APPLICATION RESTRICTIONS:**

Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

- Do not breathe vapors or spray mist.
  - Do not apply when food is present.
  - All outdoor applications must be limited to spot or crack and crevice treatments only, except for the following permitted uses: (1) Treatment to soil or vegetation around structures; (2) Applications to lawns, turf, and other vegetation.
  - Do not make applications during rain.
  - Do not water the treated area to the point of runoff.
  - Do not apply directly to sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur, except as directed by this label.
- This product helps reduce annoying and troublesome listed outdoor insects. Do not spray animals. People and pets should not be allowed in treated areas until spray has dried.
- Apply insecticide when insects first appear and repeat as necessary but not more frequently than every 3 days.

This product kills most troublesome listed outdoor insects, which destroy lawns, gardens, and are an annoyance on patios and at picnics.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store in a cool, dry area, preferably a locked storage area. Store above freezing. Do not store diluted spray. Store with container tightly closed. Always store pesticides in the original container, do not transfer to food or drink container. Avoid contamination of food, feed, and domestic water supplies. Store away from food and pet food. **PESTICIDE**

**DISPOSAL AND CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## FIRST AID

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 888-740-8712.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

## ENVIRONMENTAL HAZARDS:

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging in the treatment area.

## PHYSICAL OR CHEMICAL HAZARDS:

Do not apply this product around electrical equipment due to possible shock hazard.

**NOTICE:** Buyer assumes all risk of use, storage or handling of this product not in accordance with directions.

## CÓMO UTILIZAR:

### Conectar

1. Agite bien antes de usar.
2. Conecte el pulverizador a la manguera.
3. Encienda el agua.

### Rociar

1. Para comenzar a rociar, apunte en la dirección que desea rociar.
2. Doble la lengüeta de plástico pequeña hacia atrás y gire la perilla hacia la derecha hasta la posición ON.
3. Rocíe uniformemente sobre el área medida.

### Terminar

1. Para detener la pulverización, gire la perilla en sentido antihorario hasta la posición de OFF.
2. Apague el agua.
3. Alívie la presión del agua doblando la lengüeta de plástico amarillo hacia atrás y girando la perilla a la posición ON hasta que el agua disminuya a un goteo. Luego, gire la perilla a la posición de OFF.
4. Desconecte el pulverizador de la manguera.

### **ALMACENAMIENTO Y DESECHO:**

No contamine el agua, los alimentos ni el forraje al almacenar o desechar.

**ALMACENAJE DEL PESTICIDA:** Almacene en un área seca y fresca, preferiblemente asegurada. Almacene por encima del punto de congelación. No almacene el aerosol diluido. Almacene con el envase firmemente cerrado. Siempre almacene los pesticidas en su envase original, no transfiera a un envase de alimentos o bebidas. Evite la contaminación de los productos alimenticios, el forraje y los suministros de agua domésticos. Almacene alejado de alimentos para humanos y mascotas. **DESECHO DEL PESTICIDA Y MANIPULACIÓN DEL ENVASE:** Envase no rellenable. No reutilice ni rellene este envase. **Si está vacío:** Colóquelo en la basura u ofrézcale para reciclar si está disponible. **Si está parcialmente lleno:** Llame a la agencia de desechos sólidos local para las instrucciones de desecho. Nunca vierta el producto sin usar en un desague de interiores o exteriores.

### **PRIMEROS AUXILIOS**

#### **SI ENTRA EN CONTACTO CON LA PIEL O LA ROPA:**

Retire la ropa contaminada. Enjuague la piel inmediatamente con abundante agua durante 15-20 minutos. Llame a un centro para el control del envenenamiento o a un médico para recibir orientación sobre el tratamiento.

**SI SE INGIERE:** - No induzca el vómito a menos que así se lo haya ordenado un centro para el control de envenenamiento o un médico. No administre ningún líquido a la persona. No administre nada por la boca a una persona inconsciente.

Tenga consigo el envase o la etiqueta del producto cuando llame a un centro de control de envenenamiento, a un médico o vaya a recibir tratamiento. Para obtener más información en relación con emergencias de carácter médico o incidentes con pesticidas, llame al 1-888-740-8712.

### **ENUNCIADOS DE PRECAUCIÓN**

#### **PELIGROS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS**

**PRECAUCIÓN:** Dañino si se absorbe a través de la piel. Evite el contacto con los ojos, la piel o la ropa. Lávese muy bien con agua y jabón después de manipular el producto y antes de comer, beber, usar goma de mascar o tabaco. Refile la ropa contaminada y lávela antes de volvérsela a poner.

**RIESGOS PARA EL AMBIENTE:** Este pesticida es extremadamente tóxico para los organismos acuáticos, incluyendo los peces y los invertebrados. Para proteger el ambiente, no permita que el pesticida ingrese ni se desplace hacia desagües pluviales, zanjas de drenaje, canaletas o aguas superficiales. Aplicar este producto cuando el clima esté en calma y no haya predicción de lluvia, durante las 24 horas siguientes, contribuirá a lograr que el viento o la lluvia no esparzan ni arrastren el pesticida del área de tratamiento. Enjuagar el equipo de aplicación sobre el área tratada contribuirá a evitar la escorrentía hacia cuerpos de agua o sistemas de drenaje. Este producto es altamente tóxico para las abejas expuestas al tratamiento directo en cultivos en floración o malezas. No aplique este producto ni permita que se transfiera a los cultivos en floración ni a la maleza mientras las abejas se encuentren en el área de tratamiento.

**RIESGOS FÍSICOS O QUÍMICOS:** No aplique este producto dentro ni sobre equipos eléctricos debido a la posibilidad de descarga eléctrica.

**AVISO:** El comprador asume todos los riesgos del uso, almacenaje o manipulación de este producto que no estén de acuerdo con las instrucciones.



## **TICK & FLEA YARD SPRAY**

Pulverizador de garrapatas y pulgas

Kills listed bugs on lawns, trees, shrubs, roses and flowers. For use on residential lawns, gardens, patios and home picnic areas.

### **PRODUCT FACTS**

#### **KILLS INSECTS:**

**Lawn pests:** deer ticks, brown dog ticks, fleas, ants, armyworms, chinch bugs, crickets, cutworms, grasshoppers, Japanese beetle grubs, mole crickets and sod webworms.

**Tree, shrub, rose & flower pests:** aphids, bagworms, brown marmorated stink bugs (BMSB), cicadas, exposed thrips, fall cankerworms, inchworms, leafminers, stink bugs, and other listed pests.

**WHERE TO USE:** On lawns, trees and shrubs, roses and flowers.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE. READ ENTIRE LABEL BEFORE EACH USE.

#### **HOW TO USE:**

##### **Connect**

1. Shake well before using.
2. Connect sprayer to hose.
3. Turn on water.

##### **Spray**

1. To begin spraying, point nozzle in the direction you want to spray.
2. Bend small plastic tab back and turn knob clockwise to ON position.
3. Spray evenly over measured area.

#### **Finish**

1. To stop spraying, turn knob counter-clockwise to OFF position.
2. Turn off water.
3. Relieve water pressure by bending yellow plastic tab back and turning knob to ON position until water slows to a drip. Then, turn knob back to OFF position.
4. Disconnect sprayer from hose.

#### **USE DIRECTIONS:**

Use 32 fl. oz. to treat 1,900 linear feet with a 6-inch spray band.

For use on lawns: 32 fl. oz. treats up to 5,300 sq. ft.

**Use on Lawns:** Kentucky bluegrass, bent, bermuda, bluegrass, dichondra, fescue, Irish moss, merion and St. Augustine.

**Pests:** Deer ticks, brown dog ticks, fleas, ants, armyworms, chinch bugs, crickets, cutworms, grasshoppers, Japanese beetle grubs, mole crickets and sod webworms.